



Manufacturer of Extruded & Molded Rubber Products since 1939

www.corsonrubber.com

105 Smith Street
PO Box 154
Clover, SC 29710-0154

Phone (803) 222-7779
Fax (803) 222-9022
dgarvey@corsonrubber.com

DRUM CORE CEMENT (DRUMSTICK CEMENT)

Material Safety Data Sheet

Date: January 2, 2012

Manufacturer: Corson Rubber Products
105 Smith Street
P.O. Box 154
Clover, SC 29710
U.S.A.

Phone: (803) 222-7779
Fax: (803) 222-9022
Date: January 2, 2012
Preparer: Denis Garvey

SECTION 1 - IDENTITY

Common Name: Drum Core Cement (Drumstick Cement)

Product Codes: 120-GS, 150-G, 211-P, 200-M, F-950, F-900-M, V-900-V, V-965-V

Formula: Proprietary Rubber Compound Mixtures with common ingredients in varying ratios

Chemical Family: Natural and synthetic rubbers, resins, and fillers; compounds do not contain solvents.



Manufacturer of Extruded & Molded Rubber Products since 1939

www.corsonrubber.com

105 Smith Street
PO Box 154
Clover, SC 29710-0154

Phone (803) 222-7779
Fax (803) 222-9022
dgarvey@corsonrubber.com

SECTION 2- HAZARDOUS INGREDIENTS

Although this mixture has not been evaluated as a whole, all ingredients are bound in a polymer matrix, and therefore the potential for hazardous exposure as shipped or in use as intended is minimal. However, noxious fumes would be released if the material were to be burned (incinerated). The mixture is not known to contain any ingredient considered hazardous per OSHA 1910.1200.

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS (FIRE & EXPLOSION DATA)

Appearance: Rubbery, black sticks, with nominal measurements of 2" x 2" x 12" as supplied

Specific Gravity:

Theoretical: 1.10-1.20

Measured: 1.00-1.10 (due to entrapped air)

Special Fire Fighting Procedures: Full emergency equipment with self-contained breathing apparatus should be worn by firefighters to prevent inhalation of smoke as well as irritating and toxic gases which may be generated by thermal decomposition and combustion. Combustion can generate oxides of carbon, nitrogen, and sulfur.

Extinguishing Media: All Common

Boiling Point: NA

Solubility in Water: Nil

Vapor Density: Solid

Evaporation Rate: Solid

Auto Ignition Temp.: Unknown

Percent Volatile by Volume: NA

Reactivity in Water: None Known

Vapor Pressure: NA

Flash Point: Unknown

Flammable Limits: NA

Unusual Fire & Explosion Hazards: None Known



Manufacturer of Extruded & Molded Rubber Products since 1939

www.corsonrubber.com

105 Smith Street
PO Box 154
Clover, SC 29710-0154

Phone (803) 222-7779
Fax (803) 222-9022
dgarvey@corsonrubber.com

SECTION 4- PHYSICAL HAZARDS

Stable: Hazardous polymerization will not occur at normal temperatures

Incompatibility (Materials to Avoid): None Known

Hazardous Decomposition Products: In case of fire, full emergency equipment with self-contained breathing apparatus should be worn by firefighters to prevent inhalation of smoke as well as irritating and toxic gases which may be generated by thermal decomposition and combustion. Combustion can generate oxides of carbon, nitrogen, and sulfur.

SECTION 5 - HEALTH HAZARDS (See Section 2)

Threshold Limit Value: Not Established

Signs and Symptoms of Exposure

Acute Overexposure: None Known

Chronic Overexposure: None Known

Medical Conditions Generally Aggravated by Exposure: None Known

Emergency and First Aid Procedures: Physical form and intended use should preclude any need.

SECTION 6- SPECIAL PROTECTION INFORMATION

Cloth gloves may be worn to avoid contact with compound



Manufacturer of Extruded & Molded Rubber Products since 1939

www.corsonrubber.com

105 Smith Street
PO Box 154
Clover, SC 29710-0154

Phone (803) 222-7779
Fax (803) 222-9022
dgarvey@corsonrubber.com

SECTION 7- SPECIAL PRECAUTIONS & SPILL/LEAK PROCEDURE

Store below 100 degrees Fahrenheit to minimize deformation.

If several sticks are spilled from their shipping container, interleave with original or new plastic to prevent sticks from adhering to one another; it is best to store sticks in original carton to prevent deformation.

Agglomerated and deformed sticks are difficult to use in the intended manner.

SECTION 8- REGULATORY INFORMATION

This mixture is not known to contain any ingredient listed under Section 313 of Title III of the Superfund Amendments and Re-authorization Act of 1986 (SARA) or 40 CER Part 32.